



E

EXTERNAL BURR KNIFE

外毛刺刮刀 SOUB22-R






Type 型号	基本尺寸 Dimension(mm)				涂层牌号 CVD Coating	
	工作圈	L	S	Φd	H7-97	H7-98
SOUB22T5-R35	Φ42~65	22	5.95	6.5	○	○
SOUB22T5-R40	Φ48~75	22	5.95	6.5	○	○
SOUB22T5-R45	Φ60~85	22	5.95	6.5	○	○
SOUB22T5-R50	Φ76~95	22	5.95	6.5	○	○
SOUB22T5-R60	Φ89~114	22	5.95	6.5	○	○
SOUB22T5-R75	Φ108~140	22	5.95	6.5	○	○
SOUB22T5-R85	Φ127~159	22	5.95	6.5	○	○
SOUB22T5-R100	Φ140~190	22	5.95	6.5	○	○
SOUB22T5-R125	Φ159~219	22	5.95	6.5	○	○
SOUB22T5-R00	通用	22	5.95	6.5	○	○

E

EXTERNAL BURR KNIFE

外毛刺刮刀 SOUB25-R





Type 型号	基本尺寸 Dimension(mm)				涂层牌号 CVD Coating	
	工作圈	L	S	Φd	H7-97	H7-98
SOUB2506-R35	Φ42~65	25.4	6.35	6.5	○	○
SOUB2506-R40	Φ48~75	25.4	6.35	6.5	○	○
SOUB2506-R45	Φ60~85	25.4	6.35	6.5	○	○
SOUB2506-R50	Φ76~95	25.4	6.35	6.5	○	○
SOUB2506-R60	Φ89~115	25.4	6.35	6.5	○	○
SOUB2506-R70	Φ108~133	25.4	6.35	6.5	○	○
SOUB2506-R80	Φ114~150	25.4	6.35	6.5	○	○
SOUB2506-R90	Φ127~170	25.4	6.35	6.5	○	○
SOUB2506-R100	Φ133~189	25.4	6.35	6.5	○	○
SOUB2506-R125	Φ140~219	25.4	6.35	6.5	○	○
SOUB2506-R150	Φ165~273	25.4	6.35	6.5	○	○
SOUB2506-R00	通用	25.4	6.35	6.5	○	○

外毛刺刮刀

E

EXTERNAL BURR KNIFE

外毛刺刮刀 S-SNG15S7-R





Type 型号	基本尺寸 Dimension(mm)				涂层牌号 CVD Coating	
	工作圈	L	S	Φd	H7-97	H7-98
S-SNG15S7-R10	Φ8 ~ Φ15	15.8	7.94	5.16	○	○
S-SNG15S7-R15	Φ15 ~ Φ25	15.8	7.94	5.16	○	○
S-SNG15S7-R20	Φ25 ~ Φ35	15.8	7.94	5.16	○	○
S-SNG15S7-R25	Φ30 ~ Φ42	15.8	7.94	5.16	○	○
S-SNG15S7-R30	Φ35 ~ Φ52	15.8	7.94	5.16	○	○
S-SNG15S7-R35	Φ40 ~ Φ63	15.8	7.94	5.16	○	○
S-SNG15S7-R40	Φ48 ~ Φ70	15.8	7.94	5.16	○	○
S-SNG15S7-R50	Φ60 ~ Φ89	15.8	7.94	5.16	○	○
S-SNG15S7-R60	Φ76 ~ Φ108	15.8	7.94	5.16	○	○
S-SNG15S7-R70	Φ76 ~ Φ114	15.8	7.94	5.16	○	○
S-SNG15S7-R80	Φ89 ~ Φ140	15.8	7.94	5.16	○	○
S-SNG15S7-R100	Φ133 ~ Φ168	15.8	7.94	5.16	○	○

外毛刺刮刀

E

EXTERNAL BURR KNIFE

外毛刺刮刀 S-SNG15S8-R






Type 型号	基本尺寸 Dimension(mm)				涂层牌号 CVD Coating	
	工作圈	L	S	R	H7-97	H7-98
S-SNG15S8-7R	Φ8~12	15.87	8.15	5.16	○	○
S-SNG15S8-9R	Φ12~16	15.87	8.15	5.16	○	○
S-SNG15S8-11R	Φ14~20	15.87	8.15	5.16	○	○
S-SNG15S8-13R	Φ15~22	15.87	8.15	5.16	○	○
S-SNG15S8-15R	Φ20~26	15.87	8.15	5.16	○	○
S-SNG15S8-18R	Φ25~32	15.87	8.15	5.16	○	○
S-SNG15S8-20R	Φ28~36	15.87	8.15	5.16	○	○
S-SNG15S8-22R	Φ33~40	15.87	8.15	5.16	○	○
S-SNG15S8-25R	Φ38~45	15.87	8.15	5.16	○	○
S-SNG15S8-27R	Φ40~50	15.87	8.15	5.16	○	○
S-SNG15S8-30R	Φ50~55	15.87	8.15	5.16	○	○
S-SNG15S8-35R	Φ55~65	15.87	8.15	5.16	○	○
S-SNG15S8-40R	Φ65~75	15.87	8.15	5.16	○	○
S-SNG15S8-45R	Φ75~85	15.87	8.15	5.16	○	○
S-SNG15S8-50R	Φ85~95	15.87	8.15	5.16	○	○
S-SNG15S8-55R	Φ95~105	15.87	8.15	5.16	○	○
S-SNG15S8-60R	Φ105~115	15.87	8.15	5.16	○	○
S-SNG15S8-70R	Φ114~135	15.87	8.15	5.16	○	○
S-SNG15S8-80R	Φ127~155	15.87	8.15	5.16	○	○
S-SNG15S8-90R	Φ150~170	15.87	8.15	5.16	○	○
S-SNG15S8-100R	Φ170~190	15.87	8.15	5.16	○	○
S-SNG15S8-00R	通用	15.87	8.15	5.16	○	○

E

EXTERNAL BURR KNIFE

外毛刺刮刀 S-SNG19S8-R






Type 型号	基本尺寸 Dimension(mm)				涂层牌号 CVD Coating	
	工作圈	L	S	R	H7-97	H7-98
S-SNG19S8-10R	Φ12~18	19.05	8.15	7.94	○	○
S-SNG19S8-13R	Φ15~23	19.05	8.15	7.94	○	○
S-SNG19S8-15R	Φ18~26	19.05	8.15	7.94	○	○
S-SNG19S8-18R	Φ25~32	19.05	8.15	7.94	○	○
S-SNG19S8-20R	Φ28~37	19.05	8.15	7.94	○	○
S-SNG19S8-25R	Φ35~47	19.05	8.15	7.94	○	○
S-SNG19S8-30R	Φ45~57	19.05	8.15	7.94	○	○
S-SNG19S8-35R	Φ55~67	19.05	8.15	7.94	○	○
S-SNG19S8-40R	Φ55~77	19.05	8.15	7.94	○	○
S-SNG19S8-45R	Φ65~87	19.05	8.15	7.94	○	○
S-SNG19S8-50R	Φ75~97	19.05	8.15	7.94	○	○
S-SNG19S8-60R	Φ85~115	19.05	8.15	7.94	○	○
S-SNG19S8-70R	Φ95~135	19.05	8.15	7.94	○	○
S-SNG19S8-80R	Φ105~155	19.05	8.15	7.94	○	○
S-SNG19S8-90R	Φ115~170	19.05	8.15	7.94	○	○
S-SNG19S8-100R	Φ125~190	19.05	8.15	7.94	○	○
S-SNG19S8-110R	Φ135~200	19.05	8.15	7.94	○	○
S-SNG19S8-120R	Φ145~219	19.05	8.15	7.94	○	○
S-SNG19S8-00R	通用	19.05	8.15	7.94	○	○

外毛刺刮刀

E

EXTERNAL BURR KNIFE

外毛刺刮刀 S-SNG22S9-R





Type 型号	基本尺寸 Dimension(mm)				涂层牌号 CVD Coating	
	工作圈	L	S	R	H7-97	H7-98
S-SNG22S9-20R	Φ25~36	22.22	9.5	7.94	○	○
S-SNG22S9-25R	Φ35~46	22.22	9.5	7.94	○	○
S-SNG22S9-30R	Φ45~56	22.22	9.5	7.94	○	○
S-SNG22S9-35R	Φ55~66	22.22	9.5	7.94	○	○
S-SNG22S9-40R	Φ65~75	22.22	9.5	7.94	○	○
S-SNG22S9-45R	Φ75~85	22.22	9.5	7.94	○	○
S-SNG22S9-50R	Φ85~95	22.22	9.5	7.94	○	○
S-SNG22S9-55R	Φ95~105	22.22	9.5	7.94	○	○
S-SNG22S9-60R	Φ100~115	22.22	9.5	7.94	○	○
S-SNG22S9-65R	Φ110~125	22.22	9.5	7.94	○	○
S-SNG22S9-70R	Φ120~135	22.22	9.5	7.94	○	○
S-SNG22S9-75R	Φ130~145	22.22	9.5	7.94	○	○
S-SNG22S9-80R	Φ135~155	22.22	9.5	7.94	○	○
S-SNG22S9-85R	Φ140~165	22.22	9.5	7.94	○	○
S-SNG22S9-90R	Φ145~170	22.22	9.5	7.94	○	○
S-SNG22S9-95R	Φ150~180	22.22	9.5	7.94	○	○
S-SNG22S9-100R	Φ155~190	22.22	9.5	7.94	○	○
S-SNG22S9-110R	Φ160~200	22.22	9.5	7.94	○	○
S-SNG22S9-125R	Φ165~219	22.22	9.5	7.94	○	○
S-SNG22S9-150R	Φ180~275	22.22	9.5	7.94	○	○
S-SNG22S9-160R	Φ190~300	22.22	9.5	7.94	○	○
S-SNG22S9-00R	通用	22.22	9.5	7.94	○	○

E

EXTERNAL BURR KNIFE

外毛刺刮刀 S-SNG22S9-R






Type 型号	基本尺寸 Dimension(mm)				涂层牌号 CVD Coating	
	工作圈	L	S	R	H7-97	H7-98
S-SNG22S9-20R	Φ25~36	22.22	9.5	7.94	○	○
S-SNG22S9-25R	Φ35~46	22.22	9.5	7.94	○	○
S-SNG22S9-30R	Φ45~56	22.22	9.5	7.94	○	○
S-SNG22S9-35R	Φ55~66	22.22	9.5	7.94	○	○
S-SNG22S9-40R	Φ65~75	22.22	9.5	7.94	○	○
S-SNG22S9-45R	Φ75~85	22.22	9.5	7.94	○	○
S-SNG22S9-50R	Φ85~95	22.22	9.5	7.94	○	○
S-SNG22S9-55R	Φ95~105	22.22	9.5	7.94	○	○
S-SNG22S9-60R	Φ100~115	22.22	9.5	7.94	○	○
S-SNG22S9-65R	Φ110~125	22.22	9.5	7.94	○	○
S-SNG22S9-70R	Φ120~135	22.22	9.5	7.94	○	○
S-SNG22S9-75R	Φ130~145	22.22	9.5	7.94	○	○
S-SNG22S9-80R	Φ135~155	22.22	9.5	7.94	○	○
S-SNG22S9-85R	Φ140~165	22.22	9.5	7.94	○	○
S-SNG22S9-90R	Φ145~170	22.22	9.5	7.94	○	○
S-SNG22S9-95R	Φ150~180	22.22	9.5	7.94	○	○
S-SNG22S9-100R	Φ155~190	22.22	9.5	7.94	○	○
S-SNG22S9-110R	Φ160~200	22.22	9.5	7.94	○	○
S-SNG22S9-125R	Φ165~219	22.22	9.5	7.94	○	○
S-SNG22S9-150R	Φ180~275	22.22	9.5	7.94	○	○
S-SNG22S9-160R	Φ190~300	22.22	9.5	7.94	○	○
S-SNG22S9-00R	通用	22.22	9.5	7.94	○	○

E

EXTERNAL BURR KNIFE

外毛刺刮刀 S-SNG25S12-R




Type 型号	基本尺寸 Dimension(mm)				涂层牌号 CVD Coating	
	工作圈	L	S	R	H7-97	H7-98
S-SNG25S12-30R	Φ25~55	25.4	12.7	9.2	○	○
S-SNG25S12-35R	Φ35~65	25.4	12.7	9.2	○	○
S-SNG25S12-40R	Φ45~75	25.4	12.7	9.2	○	○
S-SNG25S12-45R	Φ50~85	25.4	12.7	9.2	○	○
S-SNG25S12-50R	Φ55~95	25.4	12.7	9.2	○	○
S-SNG25S12-55R	Φ65~105	25.4	12.7	9.2	○	○
S-SNG25S12-60R	Φ70~115	25.4	12.7	9.2	○	○
S-SNG25S12-65R	Φ75~125	25.4	12.7	9.2	○	○
S-SNG25S12-70R	Φ80~135	25.4	12.7	9.2	○	○
S-SNG25S12-80R	Φ85~150	25.4	12.7	9.2	○	○
S-SNG25S12-90R	Φ90~170	25.4	12.7	9.2	○	○
S-SNG25S12-100R	Φ100~190	25.4	12.7	9.2	○	○
S-SNG25S12-110R	Φ108~200	25.4	12.7	9.2	○	○
S-SNG25S12-120R	Φ114~219	25.4	12.7	9.2	○	○
S-SNG25S12-130R	Φ127~235	25.4	12.7	9.2	○	○
S-SNG25S12-140R	Φ133~255	25.4	12.7	9.2	○	○
S-SNG25S12-150R	Φ140~275	25.4	12.7	9.2	○	○
S-SNG25S12-160R	Φ165~285	25.4	12.7	9.2	○	○
S-SNG25S12-170R	Φ180~305	25.4	12.7	9.2	○	○
S-SNG25S12-180R	Φ200~325	25.4	12.7	9.2	○	○
S-SNG25S12-190R	Φ219~355	25.4	12.7	9.2	○	○
S-SNG25S12-00R	通用	25.4	12.7	9.2	○	○

E

EXTERNAL BURR KNIFE

外毛刺刮刀 SNG452-R






Type 型号	基本尺寸 Dimension(mm)				涂层牌号 CVD Coating	
	工作圈	L	S	R	H7-97	H7-98
SNG452-10R	Φ10 ~ Φ15	12.7	7.94	10	○	○
SNG452-16R	Φ15 ~ Φ25	12.7	7.94	16	○	○
SNG452-20R	Φ25 ~ Φ33	12.7	7.94	20	○	○
SNG452-25R	Φ33 ~ Φ44	12.7	7.94	25	○	○
SNG452-30R	Φ40 ~ Φ53	12.7	7.94	30	○	○
SNG452-40R	Φ50 ~ Φ73	12.7	7.94	40	○	○
SNG452-50R	Φ73 ~ Φ89	12.7	7.94	50	○	○
SNG452-60R	Φ76 ~ 108	12.7	7.94	60	○	○
SNG452-70R	Φ97 ~ Φ127	12.7	7.94	70	○	○

E

EXTERNAL BURR KNIFE

»» 外毛刺刮刀 SNMX25-R



Type 型号	基本尺寸 Dimension(mm)				涂层牌号 CVD Coating	
	工作圈	L	S	R	H7-97	H7-98
SNMX2507-R30	Φ37 ~ Φ50	25.4	7.94	30	○	○
SNMX2507-R35	Φ45 ~ Φ60	25.4	7.94	35	○	○
SNMX2507-R40	Φ55 ~ Φ69	25.4	7.94	40	○	○
SNMX2507-R45	Φ60 ~ Φ79	25.4	7.94	45	○	○
SNMX2507-R50	Φ65 ~ Φ89	25.4	7.94	50	○	○
SNMX2507-R60	Φ76 ~ Φ108	25.4	7.94	60	○	○
SNMX2507-R70	Φ97 ~ Φ127	25.4	7.94	70	○	○
SNMX2507-R80	Φ108 ~ Φ147	25.4	7.94	80	○	○
SNMX2507-R90	Φ114 ~ Φ168	25.4	7.94	90	○	○
SNMX2507-R100	Φ127 ~ Φ177	25.4	9.52	100	○	○
SNMX2507-R125	Φ159 ~ Φ197	25.4	9.52	125	○	○
SNMX2509-R150	Φ165 ~ Φ219	25.4	9.52	150	○	○
SNMX2509-R175	Φ177 ~ Φ255	25.4	9.52	175	○	○
SNMX2509-R200	Φ197 ~ Φ273	25.4	9.52	200	○	○
SNMX2509-R225	Φ200 ~ Φ325	25.4	9.52	225	○	○
SNMX2509-R250	Φ219 ~ Φ355	25.4	9.52	250	○	○
SNMX2509-R275	Φ235 ~ Φ426	25.4	9.52	275	○	○
SNMX2509-R300	Φ273 ~ Φ450	25.4	9.52	300	○	○
SNMX2509-R350	Φ440 ~ Φ508	25.4	9.52	350	○	○
SNMX2509-R400	Φ500 ~ Φ660	25.4	9.52	400	○	○
SNMX2509-R450	Φ610 ~ Φ711	25.4	9.52	450	○	○